

Reaching the unreachable...



www.arabsupplier.com

Head Office :

TEL : +971 4 2660070

FAX : +971 4 2622848

Al-Qouz Branch :

TEL : +971 4 3472505

FAX : +971 4 3471339

Al-Nakheel Branch :

TEL : +971 4 2213756

FAX : +971 4 2213748

Factories (Shj) :

TEL : +971 6 5344222

FAX : +971 6 5341028

Doha, Qatar

Tel. +974 4 4129555

Fax. +974 4 4687328

DIY AND INDUSTRIAL PROFESSIONAL LADDERS

Step Ladders		Trestle Ladders		Telescopic Ladders
	Dual-Purpose Ladders		Fiberglass Ladders	
Platform Ladders		Wooden Ladders		Combination Ladders
	Multi-Function Ladders		Step Stands	
Single Ladders		Fire-Fighting Ladders		Step Stools



YOUR SAFETY IS OUR PRIORITY....

GN Group of Companies



STEP LADDERS

GSV HEAVY DUTY STEP LADDERS

ALUMINUM



LOADING
CAPACITY
200KG

Number of Steps	3, 5, 6, 7, 9, 11
Working Height	2.3 - 4.1 mtr

GI200 STEP LADDERS

ALUMINUM




LOADING
CAPACITY
150KG

Number of Steps	6, 8, 10, 12
Working Height	1.6 - 3.19 mtr

TRESTLE LADDERS

GI200 SUPER LONG STEP LADDERS

ALUMINUM



LOADING
CAPACITY
100KG

Number of Steps	15, 16, 18, 20, 21, 22, 23
Working Height	4.0 - 6.11 mtr

GSV HEAVY DUTY TWIN STEP LADDERS

ALUMINUM



LOADING
CAPACITY
200KG

Number of Steps	5, 6, 7, 8, 9, 11, 13
Working Height	2.67 - 4.56 mtr

TELESCOPIC LADDERS

GSV HEAVY DUTY A-TYPE TELESCOPIC LADDER

ALUMINUM



LOADING CAPACITY
150KG



Number of Steps	6+6, 7+7, 8+8, 9+9, 10+10, 11+11, 12+12
Step Ladder Height	1.46 - 3.10 mtr
Extended Height	3.0 - 6.35 mtr

GSV A-TYPE TELESCOPIC LADDER

STEEL




LOADING CAPACITY
150KG




Number of Steps	8 + 8, 9 + 9
Step Ladder Height	1.90 - 2.17 mtr
Extended Height	3.87 - 4.41 mtr

GSV COMPACT TELESCOPIC SINGLE LADDER

ALUMINUM



LOADING CAPACITY
150KG



Number of Steps	13
Working Height	upto 3.80 mtr

DUAL-PURPOSE LADDERS

GI200 DUAL PURPOSE LADDERS

ALUMINUM



LOADING CAPACITY
150KG



Number of Steps	5-9, 6-11, 7-13, 8-15, 9-17, 10-19, 11-21
Length (Closed)	1.43 - 3.25mtr
Length (Open)	2.96 - 6.01 mtr

DUAL-PURPOSE LADDERS

GI200 DUAL PURPOSE LADDER



ALUMINUM



LOADING CAPACITY
150KG

Number of Steps	4-8, 5-10, 6-12, 7-14, 8-16
Length (Closed)	1.34 - 2.56 mtr
Length (Open)	2.68 - 5.1 mtr

GSV DUAL PURPOSE LADDER



ALUMINUM



LOADING CAPACITY
150KG

Number of Steps	6 + 6, 7 + 7, 8 + 8
Step Ladder Height	1.78 - 2.30 mtr
Extended Height	3.7 - 4.83 mtr

FIBERGLASS LADDERS

GI200 STEP LADDER

FIBERGLASS



LOADING CAPACITY
150KG

Number of Steps	2, 3, 4, 5, 6, 7
Height	0.79 - 2.26 mtr

GI200 TWIN STEP LADDER

FIBERGLASS



LOADING CAPACITY
150KG

Number of Steps	7, 9
Height	2.28 and 2.85 mtr

PLATFORM LADDERS

GSV STEP LADDER WITH GUARD RAIL

ALUMINUM



LOADING CAPACITY
150KG

Platform Height	1.39, 1.61, 1.85, 2.30, 2.77 mtr.
Working Height	3.23/3.43 - 4.50/4.80 mtr

PROFESSIONAL WORK PLATFORM

ALUMINUM



LOADING CAPACITY
225KG

Number of Steps	2x5, 2.x6, 2x7, 2x8
Platform Height	1.33 - 2.11 mtr

PROFESSIONAL PLATFORM LADDER

ALUMINUM



LOADING CAPACITY
260KG

Number of Steps	4, 6, 8, 10, 11, 12, 14, 15
Platform Height	1.07 - 4.0 mtr

PROFESSIONAL WORK PLATFORM

STEEL



LOADING CAPACITY
260KG

Number of Steps	6, 8, 10, 12
Platform Height	1.5 - 3.0 mtr

COMBINATION LADDERS

GSV COMPACT FOLDABLE LADDER

ALUMINUM



LOADING CAPACITY
150KG

Number of Steps	3 + 3
Working Height	2.75 mtr

GSV COMBINATION LADDER

ALUMINUM



LOADING CAPACITY
150KG

Height of Ladder (3 Sec Folded)	2.1 upto 4.1 mtr
Extendable Length 3 Sections	4.35 - 10.25 mtr

PROFESSIONAL PLATFORM MOBILE LADDER



LOADING CAPACITY
150KG

ALUMINUM

Number of Steps	2, 3, 4
Platform Height	0.47 - 0.95 mtr

MULTI-PURPOSE LADDER

ALUMINUM



LOADING CAPACITY
150KG

Number of Steps	4x2, 2+2+2x3, 4x3, 2x3+2x4	Double Ladder Height	1.20 - 2.02
Straight Ladder Height	2.30 - 4.20	Height as Platform	0.60 - 0.99

WOODEN LADDERS

GSV WOOD STEP LADDER

WOOD



TÜV **GS**
TÜV Rheinland Group *geprüfte Sicherheit*

LOADING CAPACITY
150KG



Number of Steps	7, 8, 9, 10
Working Height	1.50 upto 1.65 mtr

GSV STRAIGHT WOOD LADDER

WOOD



TÜV **GS**
TÜV Rheinland Group *geprüfte Sicherheit*

LOADING CAPACITY
150KG



Number of Steps	6, 8, 10, 12, 14, 16
Height	3.0 upto 5.8 mtr

EXTENSION LADDERS


GI200 EXTENSION LADDER

FIBERGLASS



TÜV **GS**
TÜV Rheinland Group *geprüfte Sicherheit*

LOADING CAPACITY
150KG



Number of Steps	2x8, 2x10, 2x12, 2x14
Working Height (Approx)	7.2 - 13.6 mtr

GSV TRIPLE EXTENSION LADDER

ALUMINUM



TÜV **GS**
TÜV Rheinland Group *geprüfte Sicherheit*

LOADING CAPACITY
150KG

Number of Steps	3x12, 3x14, 3x16
Working Height (Approx)	8.67 - 12.30 mtr

STRAIGHT LADDERS

GI200 STRAIGHT LADDER



LOADING CAPACITY
150KG

ALUMINUM

Number of Steps	14, 18, 20, 22
Height	4.2 - 6.7 mtr

GI200 STRIGHT LADDERS



LOADING CAPACITY
150KG

ALUMINUM

Number of Steps	11, 20, 22
Height	3.4 - 6.7 mtr

GSV SINGLE LADDER



LOADING CAPACITY
150KG

ALUMINUM

Number of Steps	10, 12, 14, 16, 18, 20, 21
Height	2.9 - 6.08 mtr

STEP STANDS

GSV SUPER STEP STAND

ALUMINUM



LOADING CAPACITY
150KG

Number of Steps	2, 3, 4
Platform Height	0.47 - 0.95 mtr

GSV STEEL STEP STAND

STEEL



LOADING CAPACITY
100KG

Number of Steps	3, 4
Platform Height	0.68 - 1.00 mtr

FIRE FIGHTING LADDERS

DIUBLE EXTENSION LADDER



LOADING CAPACITY
300KG

ALUMINUM



Extended Height

4.02 - 10.02 mtr

TRIPPLE EXTENSION LADDER



LOADING CAPACITY
300KG

ALUMINUM



Extended Height

6 - 12 mtr

HOOK LADDER



LOADING CAPACITY
225KG

ALUMINUM



Ladder Height

3.0 - 5.8 mtr

STEP STOOLS

G1200 STEP STAND

ALUMINUM

LOADING CAPACITY
150KG



Number of Steps	A (cm)	B (cm)	C (cm)
2	77	30	49
2	99	30	49
3	99	30	66

GST MOBILE STEP STOOL

PVC

LOADING CAPACITY
100KG



Height (Approx)

0.44 mtr.

ATTIC LADDERS

EASY ACCESS ATTIC LADDER

STEEL




LOADING CAPACITY
100KG

Approx. Height

3 to 4 mtr

SCISSOR TYPE ATTIC LADDER

STEEL



LOADING CAPACITY
100KG

Approx. Height

3 to 4 mtr

MAINTENANCE LADDERS

MAINTENANCE LADDER

ALUMINUM



LOADING CAPACITY
150KG

Number of Steps


2, 3, 4

Platform Height

0.47 - 0.95 mtr

ENGINEER MAINTENANCE STEPS

ALUMINUM



LOADING CAPACITY
300KG

Number of Steps

Custom Made

Straight Ladder Height

Custom Made

CAGE LADDERS

PODIUM

ALUMINUM



LOADING CAPACITY
200KG


Number of Steps	3,5
Platform Height	1.28 upto 2.0 mtr

SPIRAL CAGE LADDER

STEEL




LOADING CAPACITY
150KG



Number of Steps	9, 10, 11, 12, 13, 14
Platform Height	2.40 upto 3.60mtr

CAGE LADDERS

HATCH ACCESS CAGE LADDER



LOADING CAPACITY
150KG

ALUMINUM

Width	24 inch
Height	Custom Made

ROOF ACCESS CAGE LADDER

ALUMINUM



LOADING CAPACITY
150KG

Width	24 inch
Height	Custom Made